ELSEVIER

Hearing Research 94 (1996) 167

HEARING RESEARCH

Author Index

Adachi, M., see Ueda, N. (94) 24
Avan, P., see Büki, B. (94) 125

Benson, T.E., see Berglund, A.M. (94) 31
Berglund, A.M., Benson, T.E. and Brown, M.C.
Synapses from labeled type II axons in the mouse cochlear nucleus (94) 31
Brown, M.C., see Berglund, A.M. (94) 31
Büki, B., Avan, P., Lemaire, J.J., Dordain, M., Chazal, J. and Ribári, O.
Otoacoustic emissions: a new tool for monitoring intracranial pressure changes through stapes displacements (94) 125

Chays, A., see Giraud, A.-L. (94) 54
Chazal, J., see Büki, B. (94) 125
Chéry-Croze, S., see Giraud, A.-L. (94) 54
Collet, L., see Giraud, A.-L. (94) 54
Corwin, J.T., see Saffer, L.D. (94) 14
Cotanche, D.A., see Lee, K.H. (94) 1

Dordain, M., see Büki, B. (94) 125

Faulstich, M., Kössl, M. and Reimer, K.
Analysis of non-linear cochlear mechanics in the marsupial *Monodelphis domestica*: ancestral and modern mammalian features (94) 47
Furukawa, M., see Ueda, N. (94) 24

Giraud, A.-L., Perrin, E., Chéry-Croze, S., Chays, A. and Collet, L.
Contralateral acoustic stimulation induces a phase advance in evoked otoacoustic emissions in humans (94) 54
Gratton, M.A., Schmiedt, R.A. and Schulte, B.A.
Age-related decreases in endocochlear potential are associated with vascular abnormalities in the stria vascularis (94) 116
Greenwood, D.D.
Comparing octaves, frequency ranges, and cochlear-map curvature across species (94) 157
Gu, R., see Saffer, L.D. (94) 14

Ikeda, K., see Ueda, N. (94) 24

Kemp, D.T., see Ryan, S. (94) 140
Kössl, M. and Vater, M.
Further studies on the mechanics of the cochlear partition in the mustached bat. II. A second cochlear frequency map derived from acoustic distortion products (94) 78
Kössl, M., see Faulstich, M. (94) 47
Kössl, M., see Vater, M. (94) 63

Lee, K.H. and Cotanche, D.A.
Potential role of bFGF and retinoic acid in the regeneration of chicken cochlear hair cells (94) 1
Lemaire, J.J., see Büki, B. (94) 125
Liu, J., see Wangemann, P. (94) 94

Müller, M.
The cochlear place-frequency map of the adult and developing mongolian gerbil (94) 148

Oshima, T., see Ueda, N. (94) 24

Perrin, E., see Giraud, A.-L. (94) 54
Polyakov, A. and Pratt, H.
Evidence for spatio-topic organization of binaural processing in the human brainstem (94) 107
Pratt, H., see Polyakov, A. (94) 107

Reimer, K., see Faulstich, M. (94) 47
Ribári, O., see Büki, B. (94) 125
Ryan, S. and Kemp, D.T.
The influence of evoking stimulus level on the neural suppression of transient evoked otoacoustic emissions (94) 140

Saffer, L.D., Gu, R. and Corwin, J.T.
An RT-PCR analysis of mRNA for growth factor receptors in damaged and control sensory epithelia of rat utricles (94) 14
Schacht, J., see Song, B.-B. (94) 87
Schmiedt, R.A., see Gratton, M.A. (94) 116
Schulte, B.A., see Gratton, M.A. (94) 116
Shiga, N., see Wangemann, P. (94) 94
Song, B.-B. and Schacht, J.
Variable efficacy of radical scavengers and iron chelators to attenuate gentamicin ototoxicity in guinea pig in vivo (94) 87

Takasaka, T., see Ueda, N. (94) 24

Ueda, N., Ikeda, K., Oshima, T., Adachi, M., Furukawa, M. and Takasaka, T.
Subcellular distribution of protein kinase C in the living outer hair cell of the guinea pig cochlea (94) 24

Vater, M. and Kössl, M.
Further studies on the mechanics of the cochlear partition in the mustached bat. I. Ultrastructural observations on the tectorial membrane and its attachments (94) 63
Vater, M., see Kössl, M. (94) 78

Wangemann, P., Liu, J. and Shiga, N.
Vestibular dark cells contain the Na^+/H^+ exchanger NHE-1 in the basolateral membrane (94) 94

ELSEVIER

Hearing Research 94 (1996) 168–170

HEARING RESEARCH

Subject Index

Aging
Stria vascularis; Endocochlear potential; Morphometry; Cochlea; Pathology (Gratton, M.A. (94) 116)

Audiogram
Otoacoustic emission; Distortion product; $2f1 - f2$; *Monodelphis domestica*; Cochlea (Faulstich, M. (94) 47)

Audition
Echolocation; Cochlear tuning; Hair cell (Vater, M. (94) 63)

Auditory brainstem evoked potential
Binaural interaction; Interaural time and intensity difference; Sound lateralization; Three-channel Lissajous' trajectory; Spatio-topic organization (Polyakov, A. (94) 107)

Auditory nerve
Gerbil; Development; Cochlea; Place-frequency map (Müller, M. (94) 148)

Cochlea; Place-frequency map; Scale-relation; Octave (Greenwood, D.D. (94) 157)

Auditory system
Hearing; Spiral ganglion neuron; Outer hair cell; Unmyelinated axon (Berglund, A.M. (94) 31)

Balance
Growth factor receptor; Reverse transcriptase-polymerase chain reaction; Hair cell; Regeneration; Vestibular (Saffer, L.D. (94) 14)

Basic fibroblast growth factor
Epidermal growth factor receptor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Binaural interaction
Auditory brainstem evoked potential; Interaural time and intensity difference; Sound lateralization; Three-channel Lissajous' trajectory; Spatiotopic organization (Polyakov, A. (94) 107)

Cell volume regulation
Vestibular labyrinth; Micro-Ussing chamber; pH regulation; Stria vascularis (Wangemann, P. (94) 94)

Chicken
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell (Lee, K.H. (94) 1)

Click-evoked otoacoustic emission
Phase; Contralateral acoustic stimulation; Medial olivocochlear efferent (Giraud, A.-L. (94) 54)

Cochlea
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Otoacoustic emission; Distortion product; $2f1 - f2$; *Monodelphis domestica*; Audiogram (Faulstich, M. (94) 47)

Stria vascularis; Endocochlear potential; Morphometry; Aging; Pathology (Gratton, M.A. (94) 116)

Gerbil; Development; Place-frequency map; Auditory nerve (Müller, M. (94) 148)

Place-frequency map; Scale-relation; Auditory nerve; Octave (Greenwood, D.D. (94) 157)

Cochlear mechanics
Otoacoustic emission; Olivocochlear efferent system (Ryan, S. (94) 140)

Cochlear resonance
Otoacoustic emission; Tectorial membrane; Distortion product (Kössl, M. (94) 78)

Cochlear tuning
Audition; Echolocation; Hair cell (Vater, M. (94) 63)

Confocal laser microscopy
Protein kinase C; Outer hair cell; Immunohistochemistry; Translocation (Ueda, N. (94) 24)

Contralateral acoustic stimulation
Phase; Click-evoked otoacoustic emission; Medial olivocochlear efferent (Giraud, A.-L. (94) 54)

Development
Gerbil; Cochlea; Place-frequency map; Auditory nerve (Müller, M. (94) 148)

Distortion product
Otoacoustic emission; $2f1 - f2$; *Monodelphis domestica*; Audiogram; Cochlea (Faulstich, M. (94) 47)

Otoacoustic emission; Tectorial membrane; Cochlear resonance (Kössl, M. (94) 78)

Echolocation
Audition; Cochlear tuning; Hair cell (Vater, M. (94) 63)

Endocochlear potential
Stria vascularis; Morphometry; Aging; Cochlea; Pathology (Gratton, M.A. (94) 116)

Epidermal growth factor receptor
Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

$2f1 - f2$
Otoacoustic emission; Distortion product; *Monodelphis domestica*; Audiogram; Cochlea (Faulstich, M. (94) 47)

Fibroblast growth factor receptor
Epidermal growth factor receptor; Basic fibroblast growth factor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Free radical
Gentamicin; Ototoxicity; Iron chelator; Scavenger; Protection (Song, B.-B. (94) 87)

Gentamicin
Ototoxicity; Iron chelator; Free radical; Scavenger; Protection (Song, B.-B. (94) 87)

Gerbil
Development; Cochlea; Place-frequency map; Auditory nerve (Müller, M. (94) 148)

Growth factor receptor
Reverse transcriptase-polymerase chain reaction; Hair cell; Regeneration; Balance; Vestibular (Saffer, L.D. (94) 14)

Hair cell
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Chicken (Lee, K.H. (94) 1)

Growth factor receptor; Reverse transcriptase-polymerase chain reaction; Regeneration; Balance; Vestibular (Saffer, L.D. (94) 14)

Audition; Echolocation; Cochlear tuning (Vater, M. (94) 63)

Hearing
Auditory system; Spiral ganglion neuron; Outer hair cell; Unmyelinated axon (Berglund, A.M. (94) 31)

pH regulation
Vestibular labyrinth; Micro-Ussing chamber; Cell volume regulation; Stria vascularis (Wangemann, P. (94) 94)

Immunohistochemistry
Protein kinase C; Outer hair cell; Confocal laser microscopy; Translocation (Ueda, N. (94) 24)

Insulin-like growth factor receptor
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Insulin receptor
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Interaural time and intensity difference
Binaural interaction; Auditory brainstem evoked potential; Sound lateralization; Three-channel Lissajous' trajectory; Spatio-topic organization (Polyakov, A. (94) 107)

Intracochlear pressure
Intracranial pressure; Stapes, annular ligament; Otoacoustic emission (Büki, B. (94) 125)

Intracranial pressure
Intracochlear pressure; Stapes, annular ligament; Otoacoustic emission (Büki, B. (94) 125)

Iron chelator
Gentamicin; Ototoxicity; Free radical; Scavenger; Protection (Song, B.-B. (94) 87)

Medial olivocochlear efferent
Phase; Click-evoked otoacoustic emission; Contralateral acoustic stimulation (Giraud, A.-L. (94) 54)

Micro-Ussing chamber
Vestibular labyrinth; pH regulation; Cell volume regulation; Stria vascularis (Wangemann, P. (94) 94)

Monodelphis domestica
Otoacoustic emission; Distortion product; $2f1 - f2$; Audiogram; Cochlea (Faulstich, M. (94) 47)

Morphometry
Stria vascularis; Endocochlear potential; Aging; Cochlea; Pathology (Gratton, M.A. (94) 116)

Octave
Cochlea; Place-frequency map; Scale-relation; Auditory nerve (Greenwood, D.D. (94) 157)

Olivocochlear efferent system
Otoacoustic emission; Cochlear mechanics (Ryan, S. (94) 140)

Otoacoustic emission
Distortion product; $2f1 - f2$; *Monodelphis domestica*; Audiogram; Cochlea (Faulstich, M. (94) 47)

Tectorial membrane; Distortion product; Cochlear resonance (Kössl, M. (94) 78)

Intracranial pressure; Intracochlear pressure; Stapes, annular ligament (Büki, B. (94) 125)

Olivocochlear efferent system; Cochlear mechanics (Ryan, S. (94) 140)

Ototoxicity
Gentamicin; Iron chelator; Free radical; Scavenger; Protection (Song, B.-B. (94) 87)

Outer hair cell
Protein kinase C; Immunohistochemistry; Confocal laser microscopy; Translocation (Ueda, N. (94) 24)

Auditory system; Hearing; Spiral ganglion neuron; Unmyelinated axon (Berglund, A.M. (94) 31)

Pathology
Stria vascularis; Endocochlear potential; Morphometry; Aging; Cochlea (Gratton, M.A. (94) 116)

Phase
Click-evoked otoacoustic emission; Contralateral acoustic stimulation; Medial olivocochlear efferent (Giraud, A.-L. (94) 54)

Place-frequency map
Gerbil; Development; Cochlea; Auditory nerve (Müller, M. (94) 148)

Cochlea; Scale-relation; Auditory nerve; Octave (Greenwood, D.D. (94) 157)

Protection
Gentamicin; Ototoxicity; Iron chelator; Free radical; Scavenger (Song, B.-B. (94) 87)

Protein kinase C
Outer hair cell; Immunohistochemistry; Confocal laser microscopy; Translocation (Ueda, N. (94) 24)

Regeneration
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Hair cell; Chicken (Lee, K.H. (94) 1)

Growth factor receptor; Reverse transcriptase-polymerase chain reaction; Hair cell; Balance; Vestibular (Saffer, L.D. (94) 14)

Retinoic acid
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Retinoic acid receptor beta
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Retinoic acid receptor gamma
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid; Cochlea; Reverse transcriptase PCR; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Reverse transcriptase PCR
Epidermal growth factor receptor; Basic fibroblast growth factor; Fibroblast growth factor receptor; Insulin-like growth factor receptor; Insulin receptor; Retinoic acid receptor beta; Retinoic acid receptor gamma; Retinoic acid; Cochlea; Regeneration; Hair cell; Chicken (Lee, K.H. (94) 1)

Reverse transcriptase-polymerase chain reaction
Growth factor receptor; Hair cell; Regeneration; Balance; Vestibular (Saffer, L.D. (94) 14)

Scale-relation
Cochlea; Place-frequency map; Auditory nerve; Octave (Greenwood, D.D. (94) 157)

Scavenger
Gentamicin; Ototoxicity; Iron chelator; Free radical; Protection (Song, B.-B. (94) 87)

Sound lateralization
Binaural interaction; Auditory brainstem evoked potential; Interaural time and intensity difference; Three-channel Lissajous' trajectory; Spatio-topic organization (Polyakov, A. (94) 107)

Spatio-topic organization
Binaural interaction; Auditory brainstem evoked potential; Interaural time and intensity difference; Sound lateralization; Three-channel Lissajous' trajectory (Polyakov, A. (94) 107)

Spiral ganglion neuron
Auditory system; Hearing; Outer hair cell; Unmyelinated axon (Berglund, A.M. (94) 31)

Stapes, annular ligament
Intracranial pressure; Intracochlear pressure; Otoacoustic emission (Büki, B. (94) 125)

Stria vascularis
Vestibular labyrinth; Micro-Ussing chamber; pH regulation; Cell volume regulation (Wangemann, P. (94) 94)

Endocochlear potential; Morphometry; Aging; Cochlea; Pathology (Gratton, M.A. (94) 116)

Tectorial membrane
Otoacoustic emission; Distortion product; Cochlear resonance (Kössl, M. (94) 78)

Three-channel Lissajous' trajectory
Binaural interaction; Auditory brainstem evoked potential; Interaural time and intensity difference; Sound lateralization; Spatio-topic organization (Polyakov, A. (94) 107)

Translocation
Protein kinase C; Outer hair cell; Immunohistochemistry; Confocal laser microscopy (Ueda, N. (94) 24)

Unmyelinated axon
Auditory system; Hearing; Spiral ganglion neuron; Outer hair cell (Berglund, A.M. (94) 31)

Vestibular
Growth factor receptor; Reverse transcriptase-polymerase chain reaction; Hair cell; Regeneration; Balance (Saffer, L.D. (94) 14)

Vestibular labyrinth
Micro-Ussing chamber; pH regulation; Cell volume regulation; Stria vascularis (Wangemann, P. (94) 94)